

<b>Hole #</b>	<b>Silver</b>	<b>Gold</b>	<b>Silver Eq.*</b>	<b>From</b>	<b>To</b>	<b>Length</b>
	(opt)	(opt)	(opt)	(ft.)	(ft.)	(ft.)
<b><u>Main Zone</u></b>						
<b>PMX-25</b>	<b>5.3</b>	<b>&lt;0.01</b>	<b>5.5</b>	698.8	709.0	<b>10.5</b>
<b>PMX-28</b>	<b>5.0</b>	-	<b>5.0</b>	599.4	658.1	<b>58.7</b>
<b>Including</b>	<b>8.5</b>	-	<b>8.5</b>	634.8	651.6	<b>16.7</b>
<b>PMX-32</b>	<b>4.3</b>	<b>&lt;0.01</b>	<b>4.5</b>	643.4	659.8	<b>16.4</b>
<b>PMX-35</b>	<b>4.4</b>	<b>0.01</b>	<b>4.8</b>	735.2	745.1	<b>10.0</b>
<b>And</b>	<b>5.7</b>	<b>&lt;0.01</b>	<b>5.9</b>	763.1	775.3	<b>12.5</b>
<b>PMX-38</b>	<b>9.2</b>	-	<b>9.2</b>	832.3	863.4	<b>31.0</b>
<b>including</b>	<b>23.7</b>	-	<b>23.7</b>	853.7	859.6	<b>5.9</b>
<b><u>Along Strike</u></b>						
<b>PMX-26</b>	<b>2.1</b>	-	<b>2.1</b>	85.0	90.0	<b>5.0</b>
<b>PMX-27</b>	-	-	-	-	-	-
<b>PMX-29</b>	-	-	-	-	-	-
<b>PMX-30</b>	<b>2.2</b>	<b>0.02</b>	<b>3.2</b>	245.0	255.0	<b>10.0</b>
<b>PMX-31</b>	<b>0.7</b>	<b>0.09</b>	<b>5.3</b>	305.0	315.0	<b>10.0</b>
<b>PMX-33</b>	<b>2.6</b>	<b>0.01</b>	<b>2.8</b>	100.0	105.0	<b>5.0</b>
<b>PMX-34</b>	<b>3.1</b>	-	<b>3.1</b>	540.0	555.0	<b>15.0</b>

<b>Hole #</b>	<b>Silver</b>	<b>Gold</b>	<b>Silver Eq.*</b>	<b>From</b>	<b>To</b>	<b>Length</b>
	(gpt)	(gpt)	(gpt)	(m)	(m)	(m)
<b><i>Main Zone</i></b>						
<b>PMX-25</b>	<b>180.0</b>	<b>0.17</b>	<b>189.0</b>	213.0	216.1	<b>3.2</b>
<b>PMX-28</b>	<b>171.8</b>	<b>-</b>	<b>171.8</b>	182.7	200.6	<b>18.0</b>
<b>including</b>	<b>292.0</b>	<b>-</b>	<b>292.0</b>	193.5	198.6	<b>5.1</b>
<b>PMX-32</b>	<b>147.6</b>	<b>0.12</b>	<b>153.7</b>	196.1	201.1	<b>5.0</b>
<b>PMX-35</b>	<b>150.0</b>	<b>0.28</b>	<b>164.7</b>	224.1	227.1	<b>3.1</b>
<b>and</b>	<b>194.9</b>	<b>0.16</b>	<b>203.6</b>	232.6	236.3	<b>3.8</b>
<b>PMX-38</b>	<b>313.8</b>	<b>-</b>	<b>313.8</b>	253.7	263.2	<b>9.5</b>
<b>including</b>	<b>814.0</b>	<b>-</b>	<b>814.0</b>	260.2	262.0	<b>1.8</b>
<b><i>Along Strike</i></b>						
<b>PMX-26</b>	<b>73.3</b>	<b>-</b>	<b>73.3</b>	25.9	27.4	<b>1.5</b>
<b>PMX-27</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>PMX-29</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>PMX-30</b>	<b>75.2</b>	<b>0.64</b>	<b>108.8</b>	74.7	77.7	<b>3.0</b>
<b>PMX-31</b>	<b>22.8</b>	<b>2.98</b>	<b>180.4</b>	93.0	96.0	<b>3.0</b>
<b>PMX-33</b>	<b>87.7</b>	<b>0.18</b>	<b>97.2</b>	30.5	32.0	<b>1.5</b>
<b>PMX-34</b>	<b>105.9</b>	<b>-</b>	<b>105.9</b>	164.6	169.1	<b>4.6</b>

