

Table 1 – Assay Results

| Hole No. | Target Area | Hole Length (feet) (∠ Angle) | Assay Interval | | Gold Assay | | Gold Assay | | Purpose & Results |
|--|---------------|--|-------------------------|--------------|------------------|-------------------|--------------------|------------------------|---|
| | | | From (feet) | To (feet) | Length (feet) | Ounces per ton | Length (meters) | Grams per tonne | |
| SOUTHERN AREA | | | | | | | | | |
| 8 | Southern Area | 2390 (-50°) | 15 | 35 | 20 | 0.027 | 6.10 | 0.922 | Encountered mineralization approximately 200 feet below previous shallow drilling |
| | | | 160 | 170 | 10 | 0.032 | 3.05 | 1.105 | |
| | | | 220 | 230 | 10 | 0.017 | 3.05 | 0.589 | |
| | | | 330 | 340 | 10 | 0.021 | 3.05 | 0.733 | |
| | | | 490 | 500 | 10 | 0.015 | 3.05 | 0.526 | |
| | | | 625 | 635 | 10 | 0.035 | 3.05 | 1.184 | |
| 9 | Southern Area | 705 (-55°) | | | | | | Abandoned due to water | |
| 16 | Southern Area | 1678 (-50°) | 359.5 | 381 | 21.5 | 0.017 | 6.55 | 0.572 | Extended mineralization by approximately 200 feet to depth and 500 feet north and west of previous shallow drilling |
| | | | 606.5 | 618.5 | 12 | 0.038 | 3.66 | 1.288 | |
| | | | 652 | 667 | 15 | 0.015 | 4.57 | 0.510 | |
| | | | 732 | 762 | 30 | 0.069 | 9.15 | 2.355 | |
| | | | including 732 | 744 | 12 | 0.135 | 3.66 | 4.617 | |
| | | | 787 | 818.5 | 31.5 | 0.080 | 9.60 | 2.751 | |
| | | | including 792 | 807 | 15 | 0.111 | 4.57 | 3.790 | |
| | | | including 812 | 818.5 | 6.5 | 0.090 | 1.98 | 3.085 | |
| 887 | 897 | 10 | 0.020 | 3.05 | 0.676 | | | | |
| 1001 | 1019 | 18 | 0.035 | 5.49 | 1.204 | | | | |
| 18 | Southern Area | 1502 (-55°) | | | | | | No significant gold | |
| 20 | Southern Area | 1708 (-60°) | | | | | | No significant gold | |
| 22 | Southern Area | 1000 (-60°) | 0 | 15 | 15 | 0.053 | 4.57 | 1.817 | 500 feet southwest of hole 16; encountered similar shallow mineralization; no significant mineralization at depth |
| | | | 300 | 345 | 45 | 0.041 | 13.72 | 1.387 | |
| 23 | Southern Area | 1704 <i>including</i> (-60°) <i>including</i> | 230 | 241 | 11 | 0.072 | 3.35 | 2.475 | Confirmation of mineralization previously identified in shallow drilling; no significant mineralization at depth |
| | | | 230 | 233 | 3 | 0.242 | 0.91 | 8.300 | |
| | | | 266.5 | 310 | 43.5 | 0.088 | 13.26 | 3.018 | |
| | | | 266.5 | 277 | 10.5 | 0.168 | 3.20 | 5.755 | |
| | | | 279.5 | 287 | 7.5 | 0.086 | 2.29 | 2.940 | |
| | | | 291 | 294 | 3 | 0.140 | 0.91 | 4.810 | |
| 299 | 310 | 11 | 0.091 | 3.35 | 3.124 | | | | |
| Previously Announced on September 6, 2006 | | | | | | | | | |
| 7 | Southern Area | 1140 (-50°) | 210 | 220 | 10 | 0.033 | 3.05 | 1.128 | New target encountered discontinuous mineralization to a depth of 560 feet |
| | | | 280 | 310 | 30 | 0.025 | 9.14 | 0.867 | |
| | | | 350 | 365 | 15 | 0.052 | 4.57 | 1.78 | |
| | | | 495 | 510 | 15 | 0.014 | 4.57 | 0.469 | |
| | | | 720 | 735 | 15 | 0.019 | 4.57 | 0.653 | |

| Hole No. | Target Area | Hole Length (feet) (∠ Angle) | Assay Interval | | Gold Assay | | Gold Assay | | Purpose & Results |
|---------------------|---------------|--|----------------|--------------|------------------|-------------------|--------------------|--------------------|---|
| | | | From (feet) | To (feet) | Length (feet) | Ounces per ton | Length (meters) | Grams per tonne | |
| MIDDLE AREA | | | | | | | | | |
| 10 | Middle Area | 300 (-55°) | | | | | | | Abandoned due to water |
| 11 | Middle Area | 440 (-55°) | 370 | 390 | 20 | 0.028 | 6.10 | 0.960 | Deeper core drilling pending |
| 12 | Middle Area | 680 (-55°) | 50 | 75 | 25 | 0.020 | 7.62 | 0.695 | Deeper core drilling pending |
| 15 | Middle Area | 2267 (-50°) | | | | | | | No significant gold |
| 19 | Middle Area | 2034 (-50°) | 459.5 | 465.0 | 5.5 | 0.014 | 1.68 | 0.483 | New target and encountered low grade gold mineralization and extremely anomalous trace elements |
| | | | 470.0 | 487.0 | 17.0 | 0.011 | 5.18 | 0.378 | |
| 24 | Middle Area | 227 (-70°) | 128 | 143 | 15 | 0.013 | 4.57 | 0.450 | Abandoned due to poor ground conditions |
| ROOSTER AREA | | | | | | | | | |
| 3 | Rooster | 1575 (-55°) | | | | | | | No significant gold |
| 4 | Rooster | 1945 (-60°) <i>including</i> | 545 | 560 | 15 | 0.014 | 4.57 | 0.494 | Extended mineralization 600 feet to the northwest of Rooster area |
| | | | 705 | 725 | 20 | 0.010 | 6.10 | 0.344 | |
| | | | 740 | 765 | 25 | 0.042 | 7.62 | 1.453 | |
| | | | 740 | 755 | 15 | 0.063 | 4.57 | 2.147 | |
| 13 | Rooster | 860 (-90°) | 130 | 160 | 30 | 0.013 | 9.15 | 0.462 | Deeper core drilling pending |
| 14 | Rooster | 960 (-60°) | 230 | 245 | 15 | 0.012 | 4.57 | 0.403 | Extended mineralization 100 feet north of Rooster area |
| | | | 255 | 265 | 10 | 0.019 | 3.05 | 0.660 | |
| | | | 295 | 305 | 10 | 0.013 | 3.05 | 0.444 | |
| | | | 315 | 325 | 10 | 0.014 | 3.05 | 0.472 | |
| | | | 425 | 445 | 20 | 0.017 | 6.10 | 0.579 | |
| 17 | Rooster | 2485 (-55°) | | | | | | | No significant gold |
| 21 | North Rooster | 1662 (-70°) | 242 | 262 | 20 | 0.025 | 6.10 | 0.845 | Extended mineralization 560 feet north of Rooster area |
| | | | 347 | 357 | 10 | 0.012 | 3.05 | 0.412 | |
| | | | 362 | 377 | 15 | 0.016 | 4.57 | 0.559 | |
| | | | 409 | 447 | 38 | 0.028 | 11.52 | 0.957 | |
| | | | 467 | 477 | 10 | 0.053 | 3.05 | 1.818 | |
| | | | 502 | 512 | 10 | 0.011 | 3.05 | 0.369 | |

| Hole No. | Target Area | Hole Length (feet) (\angle Angle) | Assay Interval | | Gold Assay | | Gold Assay | | Purpose & Results |
|--|---------------|---|--------------------------------|--------------|------------------|-------------------|--------------------|--------------------|---|
| | | | From (feet) | To (feet) | Length (feet) | Ounces per ton | Length (meters) | Grams per tonne | |
| ROOSTER AREA | | | | | | | | | |
| 26 | North Rooster | 1340 (-45°) | 145 | 180 | 35 | 0.010 | 10.67 | 0.351 | Extended mineralization 240 feet to the west of Hole 1 |
| | | | 483 | 496 | 13 | 0.014 | 3.96 | 0.476 | |
| | | | 508 | 529 | 21 | 0.037 | 6.40 | 1.270 | |
| | | | 698 | 708 | 10 | 0.015 | 3.05 | 0.504 | |
| 30 | North Rooster | 865 (-50°) <i>including</i> <i>including</i> | 0 | 145 | 145 | 0.039 | 44.21 | 1.319 | Confirm Rooster mineralized and test structural controls |
| | | | 95 | 145 | 50 | 0.081 | 15.24 | 2.786 | |
| | | | 115 | 125 | 10 | 0.180 | 3.05 | 6.170 | |
| | | | 160 | 170 | 10 | 0.012 | 3.05 | 0.415 | |
| | | | 250 | 260 | 10 | 0.020 | 3.05 | 0.681 | |
| | | | 305 | 380 | 75 | 0.037 | 22.87 | 1.258 | |
| | | | including 310 | 375 | 65 | 0.040 | 19.82 | 1.362 | |
| | | | 480 | 495 | 15 | 0.056 | 4.57 | 1.910 | |
| Previously Announced on September 6, 2006 | | | | | | | | | |
| 1 | North Rooster | 644 (-90°) | 110 | 130 | 20 | 0.014 | 6.10 | 0.485 | Confirmed known mineralization and extended 70 feet to depth |
| | | | 200 | 230 | 30 | 0.057 | 9.14 | 1.955 | |
| | | | 240 | 405 | 165 | 0.044 | 50.29 | 1.502 | |
| | | | including 345 | 385 | 40 | 0.113 | 12.19 | 3.853 | |
| 445 | 470 | 25 | 0.041 | 7.62 | 1.403 | | | | |
| 1B | North Rooster | 640 (-90°) | 15 | 25 | 10 | 0.014 | 3.05 | 0.476 | Extended mineralization 175 feet to depth |
| | | | 260 | 320 | 60 | 0.019 | 18.29 | 0.646 | |
| | | | 340 | 380 | 40 | 0.047 | 12.19 | 1.594 | |
| | | | 475 | 490 | 15 | 0.019 | 4.57 | 0.624 | |
| | | | 505 | 520 | 15 | 0.016 | 4.57 | 0.563 | |
| 560 | 575 | 15 | 0.050 | 4.57 | 1.724 | | | | |
| 2 | North Rooster | 1030 (-55°) | 135 | 145 | 10 | 0.013 | 3.05 | 0.424 | Intersected two new mineralized features more than 1000 feet east of Hole 1 |
| 5 | North Rooster | 1295 (-50°) | 470 | 490 | 20 | 0.021 | 6.10 | 0.721 | Northwest of Hole 1 approximately 200 feet |
| | | | 525 | 540 | 15 | 0.024 | 4.57 | 0.823 | |
| | | | 600 | 720 | 120 | 0.028 | 36.58 | 0.946 | |
| | | | 775 | 790 | 15 | 0.032 | 4.57 | 1.095 | |
| 6 | North Rooster | 500 (-70°) | 145 | 155 | 10 | 0.014 | 3.05 | 0.459 | Southwest of Hole 1 approximately 264 feet |
| | | | 220 | 245 | 25 | 0.018 | 7.62 | 0.617 | |
| | | | 320 | 330 | 10 | 0.015 | 3.05 | 0.519 | |
| | | | 400 | 415 | 15 | 0.016 | 4.57 | 0.541 | |